

NEW HAMPSHIRE STATE BUILDING CODE
PROPOSED AMENDMENT FORM

Proposed amendment submitted by:

PL-15-13-15

Name: 2015 IPC Review Committee

Date: June 11, 2015

Company /Organization: State Building Code Review Board

Address: 33 Hazen Drive, Concord, NH 03305

Telephone: 603-223-3889 E-mail: bldgcodebrd@dos.nh.gov

Applicable code: 2015 IPC (Adoption pending)

Applicable code section:

Select only one code: IEBC-15 IBC-15 IRC-15 **IPC-15** IMC-15 IECC-15 IEBC-15 NEC-14 (NFPA 70)

Current language (including section numbers and include prior adopted amendments):

Check one: Delete without substitution: Add new section to read as follows:
 Delete section and substitute the following: Revise section to read as follows:
Show Line through material to be deleted. Underline material to be added.

Proposed code language:

Adopt Appendix B – Rates of Rainfall for Various Cities

Reason / Justification:

This is needed to determine rainfall rates for sizing roof drain systems.

Financial Analysis/Fiscal Impact of proposed amendment: NONE

For Building Code Review Board Use:

Not approved: Approved:

Approved with modifications:

Scheduled Hearing Date: August 14, 2015

Exhibit #: PL-15-13-15

Chair's Signature:  Date: September 11, 2015

Printed Name: Shawn Bergeron, Sr.