

NEW HAMPSHIRE STATE BUILDING CODE
PROPOSED AMENDMENT FORM

Proposed amendment submitted by:

Name: 2015 IPC/2015 IRC Review Committees

RE-15-13-15

Date: June 23, 2015

Company /Organization: State Building Code Review Board

Address: 33 Hazen Drive, Concord, NH 03305

Telephone: 603-223-3889

E-mail: bldgcodebrd@dos.nh.gov

Applicable code: 2015 IRC (adoption pending)

Applicable code section:

Select only one code: IEBC-15 IBC-15 IRC-15 IPC-15 IMC-15 IECC-15 IEBC-15 NEC-14 (NFPA 70)

Current language (including section numbers and include prior adopted amendments):

P2903.10 Hose bibb. Hose bibbs subject to freezing, including the "frost proof" type, shall be equipped with an accessible stop-and-waste type valve inside the building so that they can be controlled and drained during cold periods.

Exception: Frostproof hose bibbs installed such that the stem extends through the building insulation into an open heated or *semiconditioned space* need not be separately valved. (see Figure 2903.10).

Previous amendment to the 2009 IRC:

P2903.10 Hose bibb. Hose bibbs subject to freezing, including the "frost-proof" type, shall be equipped with an accessible stop-and-waste-type valve inside the building so that they can be controlled and/or drained during cold periods.

Check one: Delete without substitution: Add new section to read as follows:

Delete section and substitute the following: Revise section to read as follows:

~~Show Line through material to be deleted.~~

Underline material to be added.

Proposed code language:

P2903.10 Hose bibb. Hose bibbs subject to freezing, including the "frost proof" type, shall be equipped with an accessible stop-and-waste type valve inside the building so that they can be controlled and drained during cold periods.

Exception: Frostproof hose bibbs installed such that the stem extends through the building insulation into an open heated or *semiconditioned space* need not be separately valved. (see Figure 2903.10).


Reason / Justification: Brings this topic consistent with the IPC – brought forward from previous adoptions.

Financial Analysis/Fiscal Impact of proposed amendment: None.

For Building Code Review Board Use:

Not approved: _____ Approved: _____ Approved with modifications: _____

Scheduled Hearing Date: August 14, 2015 Exhibit #: RE-15-13-15

Chair's Signature:  Date: September 11, 2015

Printed Name: Shawn Bergeron, Sr.