

NEW HAMPSHIRE STATE BUILDING CODE
PROPOSED AMENDMENT FORM

Proposed amendment submitted by:

PL-15-12-15

Name: 2015 IPC Review Committee

Date: May 8, 2015

Company /Organization: State Building Code Review Board

Address: 33 Hazen Drive, Concord, NH 03305

Telephone: 603-223-3889

E-mail: blgcodebrd@dos.nh.gov

Applicable code: 2015 IPC (Adoption pending)

Applicable code section:

Select only one code: IEBC-15 IBC-15 IRC-15 IPC-15 IMC-15 IECC-15 IEBC-15 NEC-14 (NFPA 70)

Current language (including section numbers and include prior adopted amendments):

903.1 Roof extension. Open vent pipes that extend through a roof shall be terminated not less than [NUMBER] inches above the roof. Where a roof is to be used for assembly or as a promenade, observation deck, sunbathing deck or similar purposes, open vent pipes shall terminate not less than 7 feet above the roof.

Check one: Delete without substitution: Add new section to read as follows:

Delete section and substitute the following: Revise section to read as follows:

~~Show Line through material to be deleted.~~

Underline material to be added.

Proposed code language:

903.1 Roof extension. Open vent pipes that extend through a roof shall be terminated not less than ~~[NUMBER]~~ 18 inches above the roof. Where a roof is to be used for assembly or as a promenade, observation deck, sunbathing deck or similar purposes, open vent pipes shall terminate not less than 7 feet above the roof.

Reason / Justification: Consistent with prior code amendments.

Financial Analysis/Fiscal Impact of proposed amendment: NONE


For Building Code Review Board Use:

Not approved: Approved:

Approved with modifications:

Scheduled Hearing Date: August 14, 2015

Exhibit #: PL-15-12-15

Chair's Signature: 

Date: September 11, 2015

Printed Name: Shawn Bergeron, Sr.