



Vehicle # \_\_\_\_\_

**DEPARTMENT OF SAFETY  
DIVISION OF FIRE STANDARDS & TRAINING AND  
EMERGENCY MEDICAL SERVICES  
TRANSPORTING LAND OR WATER EMS VEHICLE INSPECTION FORM**

Inspection Sticker # \_\_\_\_\_

Date of Inspection \_\_\_\_\_ Initial \_\_\_\_\_ Reinspection \_\_\_\_\_

Name of Inspector \_\_\_\_\_ Signature \_\_\_\_\_

Unit \_\_\_\_\_

Mailing Address \_\_\_\_\_

City \_\_\_\_\_ State \_\_\_\_\_ Zip Code \_\_\_\_\_

Unit Rep Present \_\_\_\_\_ MV Reg No. \_\_\_\_\_

Vehicle Identification No. \_\_\_\_\_ Year & Make \_\_\_\_\_

**OPERATIONAL EMERGENCY LIGHTING AND WARNING SYSTEMS**

\_\_\_\_ SIREN    \_\_\_\_ EXTERIOR ROTATING/FLASHING LIGHTS (360 VISIBILITY)

\_\_\_\_ FIXED SCENE LIGHTS (EXTERNAL ON BOTH SIDES)

\_\_\_\_ SPOT LIGHT:    FIXED \_\_\_\_\_    ADJUSTABLE \_\_\_\_\_    PORTABLE \_\_\_\_\_

NAME OF UNIT ON LEFT & RIGHT SIDE OF VEHICLE (minimum 4" letters): YES \_\_\_\_\_ NO \_\_\_\_\_

CURRENT MOTOR VEHICLE REGISTRATION: EXPIRATION DATE: \_\_\_\_\_

CURRENT INSPECTION STICKER ON WINDSHIELD: YES \_\_\_\_\_ NO \_\_\_\_\_

INSURANCE CERT: YES \_\_\_\_\_ NO \_\_\_\_\_ INSURANCE COMPANY \_\_\_\_\_

INSURANCE EFFECTIVE DATE \_\_\_\_\_

CURRENT LICENSE PLATES WITH REGISTRATION STICKERS:    FRONT \_\_\_\_\_    REAR \_\_\_\_\_

TWO-WAY RADIO COMMUNICATIONS WITH MEDICAL RESOURCE HOSPITAL AND DISPATCH CONTROL CENTER:    YES \_\_\_\_\_    NO \_\_\_\_\_

MEDICAL RESOURCE HOSPITAL: \_\_\_\_\_

DISPATCH CONTROL: \_\_\_\_\_

**VEHICLE SHELTER**

All vehicles are housed in a shelter and kept free from snow, sleet and ice and is not constructed of fabric or plastic sheeting. Capability of maintaining interior of vehicle at a minimum of 50 degrees.

TYPE:    \_\_\_\_ Closed, heated garage, or    \_\_\_\_ Plug in electric heater in patient compartment

LOCATION #1: \_\_\_\_\_

LOCATION #2: \_\_\_\_\_

LOCATION #3: \_\_\_\_\_

**EFFECTIVE NOVEMBER 1, 2010**

**NH DEPARTMENT OF SAFETY  
DIVISION OF FIRE STANDARDS AND TRAINING &  
EMERGENCY MEDICAL SERVICES  
TRANSPORTING LAND OR WATER EMS VEHICLE MINIMUM EQUIPMENT LIST**

**BASIC EQUIPMENT (Required on all licensed vehicles)**

\_\_\_\_ **Portable Oxygen Equipment** -- 2 cylinders minimum size C (248 liters each) (1 used as back-up & filled to capacity)  
\_\_\_\_ Regulator \_\_\_\_yoke \_\_\_\_threaded \_\_\_\_opening device \_\_\_\_Flow meter (range 2 to 15 liters)

\_\_\_\_ **Fixed Oxygen Equipment** --- Minimum 3,000 liter cylinder (contents not less than 500 psi : \_\_\_\_\_)  
\_\_\_\_ Pressure and liter flow Regulator capable of reducing to 70 psi \_\_\_\_yoke \_\_\_\_threaded

\_\_\_\_ Wall mounted oxygen regulator/flow meter capable of delivering a minimum of 2-15 lpm.

\_\_\_\_ **Portable Suction Equipment** - constant vacuum capability 300 millimeters of mercury: \_\_\_\_\_  
Canister with liner \_\_\_\_\_ - OR - disposable container \_\_\_\_\_

**NOTE: Suction Unit, as of Dec. 31, 2012 must be adjustable from 80 – 300 mmHg**

\_\_\_\_ **Fixed Suction Equipment** - constant vacuum capability 300 millimeters of mercury: \_\_\_\_\_  
suction regulator gauge \_\_\_\_\_ canister with liner \_\_\_\_\_ - OR - disposable container \_\_\_\_\_

**NOTE: Suction Unit, as of Dec. 31, 2012 must be adjustable from 80 – 300 mmHg**

**AIRWAY MANAGEMENT**

\_\_\_\_ 7 Oropharyngeal Airways sizes ranging from infant to large adult

\_\_\_\_ 4 Bag Valve Mask resuscitators;

oxygen enrichment reservoir - bag size: Neonate \_\_\_\_ Infant \_\_\_\_ Child \_\_\_\_ Adult \_\_\_\_

transparent masks and valves: Neonate \_\_\_\_ Infant \_\_\_\_ Child \_\_\_\_ Adult \_\_\_\_

\_\_\_\_ 2 High Concentration, transparent masks with oxygen reservoir bag: Child \_\_\_\_ Adult \_\_\_\_

\_\_\_\_ 2 Nasal Cannulas: Child \_\_\_\_ Adult \_\_\_\_

\_\_\_\_ 6 packages of lubricating jelly (single use and water soluble)

\_\_\_\_ 1 Pocket mask with one-way valve

\_\_\_\_ 1 Set of 6 nasopharyngeal airways in sizes ranging from infant to large adult

\_\_\_\_ 8 suction catheters sized as follows: \_\_\_\_Wide bore \_\_\_\_6 FR \_\_\_\_8 FR \_\_\_\_10 FR \_\_\_\_12 FR \_\_\_\_14FR (plus 2\_\_\_\_)

\_\_\_\_ 1 infant bulb syringe separate from OB kit

\_\_\_\_ 2 complete blind insertion airway sets, not to include oral or nasal airways

**BANDAGING MATERIALS**

\_\_\_\_ 6 sterile universal dressing sized at minimum 9" x 24"

\_\_\_\_ 24 sterile gauze pads sized minimum 3" x 3"

\_\_\_\_ 6 rolls of soft, self adhering bandages minimum size 3"

\_\_\_\_ 2 full rolls of adhesive tape, one being non-allergenic

\_\_\_\_ 4 triangular bandages minimum size 35" or \_\_\_\_2 commercial slings

\_\_\_\_ 6 sterile occlusive dressings, minimum size 4" x 4" or \_\_\_\_1 roll of plastic wrap

\_\_\_\_ 12 sterile dressings individually wrapped minimum size 5" x 7"

\_\_\_\_ 1 full body sterile burn sheet hospital prepared or disposable, with current expiration date \_\_\_\_\_

\_\_\_\_ 1 pair trauma shears

**FRACTURE CARE EQUIPMENT**

\_\_\_\_ Rigid or inflatable splints (able to accommodate \_\_\_\_adult and \_\_\_\_pediatric patients)

\_\_\_\_half arm \_\_\_\_full arm \_\_\_\_half leg \_\_\_\_full leg

\_\_\_\_ 1 adult-sized lower extremity traction device with ankle hitch

\_\_\_\_ 4 rigid cervical collars, covering sizes infant through adult

\_\_\_\_ 1 half spine immobilization device \_\_\_\_1 full spine immobilization device

\_\_\_\_strapping accessories \_\_\_\_1 head immobilization device

\_\_\_\_ 1 Scoop stretcher -OR- \_\_\_\_ 1 additional full spine immobilization device with head immobilizer and straps

**BASIC EQUIPMENT (cont.)**

\_\_\_\_\_ 1 HOSPITAL OR COMMERCIALLY PREPACKAGED OBSTETRICAL KIT

\_\_\_\_\_ 2 COMPLETE BODY SUBSTANCE ISOLATION KITS - EACH CONTAINING:

- \_\_\_\_\_ 1 standard sized body cover
- \_\_\_\_\_ 1 pair boot covers
- \_\_\_\_\_ 1 face mask
- \_\_\_\_\_ 1 pair latex free exam gloves
- \_\_\_\_\_ 1 pair protective goggles

**ADJUNCTIVE EQUIPMENT**

- \_\_\_\_\_ 4 blood pressure cuffs (1 in each size: \_\_\_infant \_\_\_child \_\_\_adult \_\_\_large adult - **OR**- \_\_\_thigh)
- \_\_\_\_\_ 1 aneroid sphygmomanometer
- \_\_\_\_\_ 1 stethoscope in each size ( \_\_\_pediatric and \_\_\_adult - **OR** - \_\_\_combination of pediatric/adult dual head)
- \_\_\_\_\_ 2 liters of sterilized saline solution with current expiration dates \_\_\_\_\_, and seals intact \_\_\_\_\_
- \_\_\_\_\_ 1 blood glucose measuring device
- \_\_\_\_\_ 24 alcohol preparation pads
- \_\_\_\_\_ 1 glucose gel (commercially prepared or substitute) with current expiration date \_\_\_\_\_
- \_\_\_\_\_ 2 penlight flashlights or LED equivalents - which shall be operational
- \_\_\_\_\_ 1 dozen pairs of disposable gloves
- \_\_\_\_\_ 4 instant cold packs
- \_\_\_\_\_ 4 instant heat packs
- \_\_\_\_\_ 1 emesis container
- \_\_\_\_\_ 1 thermometer ( \_\_\_rectal/oral - **OR**- \_\_\_tympanic)
- \_\_\_\_\_ 1 adult bed pan
- \_\_\_\_\_ 1 adult portable urinal
- \_\_\_\_\_ 4 hand towels
- \_\_\_\_\_ 50 mass casualty tags, supplied by the Division of FST&EMS
- \_\_\_\_\_ 1 Pediatric length based resuscitation tape
- \_\_\_\_\_ 1 Pulse oximeter with \_\_\_adult and \_\_\_pediatric sensors
- \_\_\_\_\_ 2 sharps containers for needle disposal, 1 of which is portable for scene use
- \_\_\_\_\_ 2 functioning hand held lights, with \_\_\_installed battery charger(s) - **OR**- \_\_\_replacement batteries
- \_\_\_\_\_ 2 fire extinguishers (dry chemical or carbon dioxide with a minimum rating of 2-A/10-B/C)
  - \_\_\_\_\_ 1 extinguisher will be in the patient compartment, **readily accessible**
- \_\_\_\_\_ 1 stair chair with restraints
- \_\_\_\_\_ 1 multi level, wheeled cot minimum size 69" long x 20" wide, adjustable position of sitting or reclining, equipped with:
  - \_\_\_\_\_ mattress and protective cover
  - \_\_\_\_\_ attached straps to secure patient to cot
  - \_\_\_\_\_ fasteners to secure cot to interior of vehicle
  - \_\_\_\_\_ 2 disposable pillows or with fluid resistant covers
  - \_\_\_\_\_ a minimum of 4 blankets
  - \_\_\_\_\_ 4 sheets and \_\_\_\_\_ 4 pillow cases
- \_\_\_\_\_ 1 portable defibrillator with adult and pediatric defibrillation capabilities, which meets AHA standards
  - with: \_\_\_\_\_ 2 sets each defib pads: \_\_\_Adult (exp dates: \_\_\_\_\_) / \_\_\_Pediatric (exp. dates: \_\_\_\_\_)
  - \_\_\_\_\_ replacement battery(ies) \_\_\_\_\_ disposable razor(s)
- \_\_\_\_\_ 2 biohazard waste bags
- \_\_\_\_\_ 1 infant/child safety restraint system meeting FMVSS 213, able to secure pediatric patients or passengers, **from 5 to 80 pounds**, on a forward or rear-facing passenger seat: convertible seat(s) or combination of restraints and seat with 2-restraint belt pathways.
- \_\_\_\_\_ 1 current "Emergency Response Guidebook", supplied by the Division of FST&EMS
- \_\_\_\_\_ 1 pair of binoculars
- \_\_\_\_\_ 2 ANSI/ISEA-compliant type-2 safety vests that meet current federal standards
- \_\_\_\_\_ 1 printed or electronic copy of the current NH patient care protocols

\_\_\_\_\_ **Seatbelts for EVERY seated position in the ambulance**

Observations:

**INTERMEDIATE EQUIPMENT**

**Each Vehicle operating at the Intermediate level shall include all the basic-level equipment and the following additional equipment:**

**INTRAVENOUS (IV) ADMINISTRATION EQUIPMENT**

- \_\_\_\_\_ 2 each IV catheters sizes: \_\_\_14 gauge \_\_\_16 gauge \_\_\_18 gauge \_\_\_20 gauge \_\_\_22 gauge \_\_\_24 gauge
- \_\_\_\_\_ 2 macro administration sets with minimum of two medication ports
- \_\_\_\_\_ 2 IV extension tubing sets
- \_\_\_\_\_ 2 bioclusive IV site dressings
- \_\_\_\_\_ 2 tourniquets
- \_\_\_\_\_ 2 arm boards (1 adult sized and 1 pediatric sized)
- \_\_\_\_\_ 4 - 1000 ml bags of normal saline solution

**MEDICATION ADMINISTRATION EQUIPMENT**

\_\_\_\_\_ Approved medications as per "New Hampshire Patient Care Protocols", with current expiration dates:

| Medication | Exp Date |  | Medication | Exp Date |
|------------|----------|--|------------|----------|
|            |          |  |            |          |
|            |          |  |            |          |
|            |          |  |            |          |
|            |          |  |            |          |
|            |          |  |            |          |
|            |          |  |            |          |
|            |          |  |            |          |
|            |          |  |            |          |
|            |          |  |            |          |
|            |          |  |            |          |

- \_\_\_\_\_ 2 each syringes sized: \_\_\_1 cc \_\_\_3 or 5 cc \_\_\_10 or 12 cc \_\_\_20 cc
- \_\_\_\_\_ 2 each needles sized: \_\_\_18 - 20 gauge \_\_\_21- 25 gauge \_\_\_filter needles - **OR-** \_\_\_comparable devices
- \_\_\_\_\_ 4 complete nebulizer delivery device setups
- \_\_\_\_\_ 1 current nursing medication reference book, hardcopy or electronic
  
- \_\_\_\_\_ **By 12/31/12** – One complete and operational CPAP device
  
- \_\_\_\_\_ **By 12/31/12** – One complete and operational adult-sized facilitated intraosseous device

PARAMEDIC EQUIPMENT

Each Vehicle operating at the Paramedic level shall include all the basic-level equipment, intermediate-level equipment and the following additional equipment:

VENTILATION AND AIRWAY EQUIPMENT

- \_\_\_ 1 wire-guided dilatation-type cricothyroidotomy set [OUT with 2011 Protocols – waivers appropriate]
- \_\_\_ 1 endotracheal tube set including:
  - Uncuffed tubes sized: \_\_\_ 2.5 \_\_\_ 3.0 \_\_\_ 3.5 \_\_\_ 4.0 \_\_\_ 4.5 \_\_\_ 5.0 \_\_\_ 5.5 \_\_\_ 6.0
  - Cuffed tubes sized: \_\_\_ 6.0 \_\_\_ 6.5 \_\_\_ 7.0 \_\_\_ 7.5 \_\_\_ 8.0 \_\_\_ 8.5
- \_\_\_ 4 End tidal carbon dioxide (CO2) detectors:
  - (\_\_\_ 2 pediatric and \_\_\_ 2 adult sizes –OR– \_\_\_ electronic ETCO2 monitoring device)
- \_\_\_ 4 stylettes for use with endotracheal tubes: \_\_\_ 2 adult sized \_\_\_ 2 pediatric sized
- \_\_\_ 2 commercial ETT securing devices
- \_\_\_ 2 Laryngoscope handles (adult and pediatric) \_\_\_ 1 set of extra batteries per handle size \_\_\_ 1 extra bulb
- \_\_\_ 8 Laryngoscope blades one in each of the following sizes:
  - Straight blades sized: \_\_\_ 0 \_\_\_ 1 \_\_\_ 2 \_\_\_ 3 \_\_\_ 4
  - Curved blades sized: \_\_\_ 2 \_\_\_ 3 \_\_\_ 4
- \_\_\_ 2 Magill forceps sized: \_\_\_ Adult \_\_\_ Pediatric
- \_\_\_ 5 nasogastric tubes sized: \_\_\_ 8 FR \_\_\_ 10 FR \_\_\_ 12 FR \_\_\_ 14 FR \_\_\_ 16 FR
- \_\_\_ 2 Hospital or commercially prepackaged needle decompression kits
- \_\_\_ 1 meconium aspirator
- \_\_\_ 1 Manual Defibrillator capable of: \_\_\_ pediatric defibrillation \_\_\_ adult defibrillation \_\_\_ pacing \_\_\_ cardioversion
  - \_\_\_ extra monitor battery(ies) \_\_\_ extra pediatric electrodes \_\_\_ extra adult electrodes \_\_\_ recording paper
  - \_\_\_ **By 12/31/2012 – 12 Lead EKG**
- \_\_\_ 2 sets of intraosseous needles with syringes \_\_\_ adult and \_\_\_ pediatric