

**SUPPLEMENTAL SPECIFICATION****AMENDMENT TO SECTION 211 – VIBRATION MONITORING**

*The purpose of this Supplemental Specification is to add the reference to the requirements for pre-construction and post-construction surveys.*

**Replace** 3.4 to read:

**3.4 Pre-construction and post-construction condition surveys.** The Contractor shall conduct a pre-construction condition survey on all structures, including swimming pools and mobile homes, within 150 feet of the anticipated sources of construction related vibrations. A pre-construction survey shall also be conducted on structures that may be affected by construction related vibrations beyond the 150 foot distance as directed by the Engineer or as contained in the approved Vibration Monitoring Plan. The pre-construction surveys shall not be initiated until the Vibration Monitoring Plan has been approved. Upon completion of all construction operations that are a source of construction related vibrations, the Contractor shall conduct a post-construction condition survey of all structures for which a complaint of damage has been received or a damage claim has been filed. Notification of the post-construction survey shall be given to all interested parties, so they may be present during the survey. A copy of all pre-construction condition surveys shall be provided to the Engineer prior to the start of work. A copy of all post-construction condition surveys conducted shall be provided to the Engineer upon completion of the survey. Perform the surveys in accordance with of 203.3.3.3.2 and 203.3.3.3.3.