

CHAPTER He-P 700 CREMATORIES

Statutory Authority RSA 325-A:5

REVISION NOTE:

The rules governing crematories, numbered He-P 700 and filed under Document #8480, effective 11-5-05, were formerly numbered He-P 600 and had been filed under Document #4166, effective 11-6-86, and expired 11-6-92.

He-P 701.07 Inspections.

(a) A department representative or agent shall conduct an inspection of the crematory premises to ensure compliance with RSA 325-A and He-P 700 at the following times:

- (1) After the completion of construction, but prior to the performance of cremations;
- (2) Within 90 days of granting conditional approval to operate; and
- (3) At any time after receiving approval to operate in order to determine continued compliance.

(b) The department representative or agent shall complete an inspection report.

(c) If a crematory meets the requirements as set forth in RSA 325-A and He-P 700, the department shall notify the crematory of the successful inspection in writing.

(d) Upon failure of the crematory to meet all the requirements as set forth in RSA 325-A and He-P 700, the department shall issue the crematory a written report of the deficiencies.

(e) The department shall reinspect a crematory that failed a previous inspection at the written request of the crematory owner.

(f) The owner(s) and operator(s) of a crematory shall admit and allow any department representative and agents onto the premises of the crematory for the purpose of determining compliance with RSA 325-A and He-P 700.

(g) The owner(s) and the operator(s) of a crematory shall cooperate fully with all department inspections.

(h) If an inspection, as described in (a)(2)-(3) above, finds violations of RSA 325-A or He-P 700, the owner shall be required to submit a corrective action plan in accordance with He-P 701.09(a).

Source. (See Revision Note at chapter heading for He-P 700) #8480, eff 11-5-05