

NEW HAMPSHIRE STATE BUILDING CODE
PROPOSED AMENDMENT FORM

RE-15-32-18

Proposed amendment submitted by:

Name: Jerry R. Tepe, FAIA Date: October 22, 2018
Company /Organization: JRT-AIA Architect
Address: 741 Upper Straw Road, Hopkinton, NH 03229
Telephone: 603-223-9938 E-mail: jrtia@aol.com

10:15

Applicable code: IRC Applicable code section: P2906.9.1.4
*Select only one code: IEBC-15 IBC-15 **IRC-15** IPC-15 IMC-15 IECC-15 IEBC-15 NEC-17 (NFPA 70)*

Current language (including section numbers and include prior adopted amendments):

P2906.9.1.4 PVC plastic pipe. A purple primer that conforms to ASTM F 656 shall be applied to PVC solvent-cemented joints. Solvent cement for PVC plastic pipe conforming to ASTM D 2564 shall be applied to all joint surfaces.

Check one: Delete without substitution: Add new section to read as follows:
 Delete section and substitute the following: XX Revise section to read as follows:

~~Show Line through material to be deleted.~~ Underline material to be added.

Proposed code language:

P2906.9.1.4 PVC plastic pipe. A ~~purple~~ primer that conforms to ASTM F 656 shall be applied to PVC solvent-cemented joints. Solvent cement for PVC plastic pipe conforming to ASTM D 2564 shall be applied to all joint surfaces.

Reason / Justification:

This is a carryover from the 2009 amendments that appears to have been overlooked. It matches a corresponding amendment to Section P3003.9.2 in Exhibit RE-15-14-15.

Financial Analysis/Fiscal Impact of proposed amendment:

Clarification only – no fiscal impact.

For Building Code Review Board Use:

Not approved: _____ Approved: Approved with modifications: _____

Scheduled Hearing Date: _____ Exhibit #: _____

Chair's Signature: [Signature] Date: 12-14-18

Printed Name: _____